

DIN 2559



HEBEI HAIHAO GROUP
Mengcun, Cangzhou, Hebei, China
www.haihaopiping.com

ISO, ABS, CE/PED APPROVED
Professional Steel Piping Solution
Email: sales@haihaogroup.com

Bridas: Chaflan del cuello para soldadura.

Flanges: Welding ends of the neck.

Flansche: Schweißnahtvorbereitung.

Referencia / Reference / Kennzahl	Espesor / Thickness / Wanddikes	Denominación / Denomination / Benennung	Símbolo / Symbol / Sinngild	Forma del Chaflán corte / Shape of the welding ends section / Fugenformen Schnitt	Medidas / Dimensions / Maße				Proceso de Soldadura /		
					Grados / Grades / Grad	β	Separación / Separation / Stegabstand	Altura / Height / Steghöhe	Altura / Height / Flankenhöhe	Wurzellage	Weiterelagen
1	hasta 3 just 3 bis 3	I-costura I-Joint I-Naht					0 a 3 0 to 3 0 bis 3			SG, G	
21	hasta 16 just 16 bis 16	V-costura V-Joint V-Naht			40 a 60 para SG, 60 para E y G 40 a 60 for SG, 60 for E and G 40 bis 60 fur SG, 60 fur E und G		0 a 3 0 to 3 0 bis 3			E, SG, G para s=10 E, SG, G for s=10	
22	hasta 16 just 16 bis 16	V-costura V-Joint V-Naht			40 a 60 para SG, 60 para E y G 40 a 60 for SG, 60 for E and G 40 bis 60 fur SG, 60 fur E und G		0 a 4 0 to 4 0 bis 4	a 2 to 2 bis 2		E, SG, G bis s=10	
3	mas de 12 more than 12 uber 12	U-costura U-Joint U-Naht				8	0 a 3 0 to 3 0 bis 3	a 2 to 2 bis 2		E, SG, G	
4	mas de 12 more than 12 uber 12	U-Costura sobre V-raiz U-Joint on V- root U-Naht auf V- wurzel			60	8	0 a 3 0 to 3 0 bis 3		4		E, SG